














## The Spirit of Innovation

**COLOP**<sup>®</sup>  
MARKING SOLUTIONS



[www.colop.com](http://www.colop.com)

	Printer Line Standard, Printer Compact Line ..... 6-7
	Printer Line Rectangular, Oblong, Triangular, Square, Round, Oval ..... 8-12
	Printer Line Dater Rectangular, Square, Triangular, Oval, Round ..... 13-16
	Printer S 200, Printer Mini Line ..... 17-19
	Stock Text Stamps ..... 20
	Expert Line ..... 22-25
	Classic Line ..... 26-29
	Office Line ..... 30
	Pocket Stamp Plus, Pocket Stamp ..... 32-33
	Stamp Mouse ..... 34
	Stamp Writer, Pen Stamp Alu Magnet Touch ..... 35
	D-I-Y Sets ..... 37-40
	Green Line ..... 42-44
	Microban® Stamps ..... 46-47
	Spare Pads ..... 49-50
	Band Stamps, Special Character Bands ..... 52-54
	Die-Plate-Daters ..... 55-56
	Numrex, Swing Stamps ..... 57
	Stamp Pads, Stamp Inks ..... 59-60
	Embossing Presses ..... 62
	Materials for Textplate Production ..... 63

# About us

## The Spirit of Innovation



**Global Player.** COLOP is one of the world's leading manufacturers of modern stamp and marking devices. With more than 500 employees and numerous subsidiaries worldwide. COLOP exports to 120 regular markets with an export rate of more than 98 %. Continuous growth is firmly rooted in COLOP's corporate philosophy, which ensures that the globally increasing demand for high-quality European stamp products can continue to be met in the future. It was for this reason that a major expansion of the production capacity was carried out in the last few years at both the parent plant in Wels, Austria, and at the company's second production site in the Czech Republic. COLOP today operates in three business areas: in the standard stamps segment, in the digital marking area as well as in the field of arts and crafts.



**Innovation & Design.** Since it was founded almost 40 years ago, COLOP has been committed to product innovation in the field of state-of-the-art marking devices, particularly stamps. In 2008, for instance, the company introduced 'Green Stamps' into the stamp world. These stamps are made predominantly from recycled or renewable raw materials. Stamps with antibacterial protection are another of the company's significant innovations. With the Printer stamp line, the personalisation of stamps has become a trend. In 2019 COLOP introduced the world's first electronic-digital stamp and marking device for mobile printing of its kind – the COLOP e-mark®.



**Marking Solutions.** The range of products comprises a large selection of stamp solutions for different applications, including office and pocket stamps, text and date stamps, rectangular and round stamps. COLOP also supplies all the products and systems necessary to ensure a high-quality stamp imprint. The range of services offered by COLOP is rounded off by e-business solutions for the creation of text plates and the sale of stamp products online, as well as software tools for the personalisation of ImageCards™.



**Quality & environmental management.** COLOP's environmental management system has been ISO 14001 certified for many years, which ensures that all processes have been optimised from an ecological perspective. The company has however also had the conviction to make a voluntary, above-average contribution to environmental issues, going above and beyond the strict EU and national regulations. COLOP has been ISO 9001 certified since 2001. This certification forms the basis for a continual improvement process as part of the company's excellent internal quality management system.



**High tech production.** A modern and efficient production process is of great importance to COLOP, paying special attention to the energy resources required. Fully automated production and manufacturing of key product lines, ongoing modernisation and upgrading of machinery and constant process optimisations all ensure high quality products and an energy-efficient manufacturing process.





## Printer Line


The comprehensive range of self-inking stamps



**The Printer Line offers a complete choice of sizes from small and handy up to large and generous - the largest range of formats from round to oval and even a triangle.**




Produced in high quality materials for reliable, regular and comfortable use




Almost all common sizes are available from very small up to X-large imprints



Offers a wide range of text-, date- and text-date-stamps and even stamps equipped with stock text



Bands with individual characters available for various models



Available in all kinds of formats from rectangular to triangular as well as from round to oval and more. For eye-catching and outstanding imprints

# The COLOP Printer

Unique as you

**Numerous innovations and fascinating technical details guarantee easier and more precise stamping.**

**Innovative frame concept (patent pending)**

- precise guidance
- high quality performance
- smooth movement
- gentle sound

**Extra fast assembly**

- stand up functionality
- detached protection foil
- grid for quick positioning (patent pending)
- TOP identification

**Anti sliding technology**



**Up to 10 % less volume**



**Easy to detach image window**  
**Improved and backward compatible ink pads**

- direct insert pad
- catch feature
- new protection bar (patent pending)



**Transparent base**  
for perfect imprint alignment



**Cover**  
for protection and mobile use

**Unique stock keeping optimisation**

- new concept: 2 articles → 8 variations and 6 ink colours = **12 SKU's**
- instead of: 8 articles → 8 variations and 6 ink colours = **48 SKU's**



# Unlimited personalisation

For your individual stamp

**XXL image window for first class personalisation (patent pending)**

Extended “private label” area keeps rubber stampmaker in customers’ mind

Marketing opportunity brings dealer brand to the end user

Business customisation presents professional’s corporate design

Personalisation for private end users makes the stamp unique



## ImageCard™ Sheets

COLOP provides perforated ImageCard Sheets.

After printing the ImageCards can easily be popped out and inserted into the stamp.



**ImageCard Designer**  
sophisticated online  
personalisation software:  
[www.imagecard.colop.com](http://www.imagecard.colop.com)





## 6 | PRINTER LINE Standard



*Kenneth Clark*  
Unit 90A, Valepits Road, Barretts Grove  
Birmingham B66 9TD

10 x 27 mm

**Printer 10**

size of imprint	10 x 27 mm
colour of frame	
recommended number of lines	3
packaging	
spare pad	E/10
optional: cover	
optional: Microban®   keyring	

**MARY COOPER**

28 Hucclecote Road • Gloucester GL5 9TH  
Tel: 1452 54 33 21  
e-mail: mary@cooper.co.uk

14 x 38 mm

**Printer 20**

size of imprint	14 x 38 mm
colour of frame	
recommended number of lines	4
packaging	
spare pad	E/20
optional: cover	
optional: Green Line   Microban®	

**GORDON WALKER**

5 Moore Road, Aberdeen AB13 6BE  
Tel: 1234 80 63 62  
mobile: 0555 456 890  
e-mail: gordon@walker.co.uk

18 x 47 mm

**Printer 30**

size of imprint	18 x 47 mm
colour of frame	
recommended number of lines	5
packaging	
spare pad	E/30
optional: cover	
optional: Green Line   Microban®	

**RED SKIES LTD**

Advertising Agency  
Parker Tower 43  
49 Parker St WC2B 5PS London  
Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19  
e-mail: red@skies\_ltd.co.uk

23 x 59 mm

**Printer 40**

size of imprint	23 x 59 mm
colour of frame	
recommended number of lines	6
packaging	
spare pad	E/40
optional: cover	
optional: Green Line   Microban®	

**LANCASTER GARDEN PRODUCTS**

Gardening - Equipment and Supplies  
Stockton Lane • York YO65 5UE  
Tel: 1555 40 01 41  
Fax: 1555 40 01 85  
e-mail: lancaster@garden.co.uk  
e-mail: garden@equip\_supplies.co.uk

30 x 69 mm

**Printer 50**

size of imprint	30 x 69 mm
colour of frame	
recommended number of lines	7
packaging	
spare pad	E/50
optional: Green Line   Microban®	

**BRITISH CARGO OVERSEAS  
INTERNATIONAL TRANSPORT LTD**

North London Freight Centre  
York Way, Kings Cross, London N3 8BB  
Tel: 0123 456 7890  
Fax: 0123 456 7891  
sales@britishcargooverseas.co.uk  
www.britishcargooverseas.com

37 x 76 mm

**Printer 60**















size of imprint	37 x 76 mm
colour of frame	
recommended number of lines	8
packaging	
spare pad	E/60
optional: Microban®	



**Kenneth Clark**  
Unit 90A, Valepits Road, Barretts Grove  
Birmingham B66 9TD

10 x 27 mm

### Printer C 10

size of imprint	10 x 27 mm
colour of handle	    
recommended number of lines	3
packaging	   
spare pad	 E/10
optional: cover	   

















### MARY COOPER

28 Hucclecote Road • Gloucester GL5 9TH  
Tel: 1452 54 33 21  
e-mail: mary@cooper.co.uk

14 x 38 mm

### Printer C 20

size of imprint	14 x 38 mm
colour of handle	    
recommended number of lines	4
packaging	   
spare pad	 E/20
optional: cover	   

















### GORDON WALKER

5 Moore Road, Aberdeen AB13 6BE  
Tel: 1234 80 63 62  
mobile: 0555 456 890  
e-mail: gordon@walker.co.uk

18 x 47 mm

### Printer C 30

size of imprint	18 x 47 mm
colour of handle	    
recommended number of lines	5
packaging	   
spare pad	 E/30
optional: cover	   

















### RED SKIES LTD

Advertising Agency  
Parker Tower 43  
49 Parker St WC2B 5PS London  
Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19  
e-mail: red@skies\_ltd.co.uk

23 x 59 mm

### Printer C 40

size of imprint	23 x 59 mm
colour of handle	    
recommended number of lines	6
packaging	   
spare pad	 E/40
optional: cover	   













### LANCASTER GARDEN PRODUCTS

Gardening - Equipment and Supplies  
Stockton Lane • York YO65 5UE  
Tel: 1555 40 01 41  
Fax: 1555 40 01 85  
e-mail: lancaster@garden.co.uk  
e-mail: garden@equip\_supplies.co.uk

30 x 69 mm

### Printer C 50

size of imprint	30 x 69 mm
colour of handle	    
recommended number of lines	7
packaging	   
spare pad	 E/50













### BRITISH CARGO OVERSEAS INTERNATIONAL TRANSPORT LTD

North London Freight Centre  
York Way, Kings Cross, London N3 8BB  
Tel: 0123 456 7890  
Fax: 0123 456 7891  
sales@britishcargooverseas.co.uk  
www.britishcargooverseas.com

37 x 76 mm

### Printer C 60

size of imprint	37 x 76 mm
colour of handle	    
recommended number of lines	8
packaging	   
spare pad	 E/60



## 8 | PRINTER LINE Rectangular



### Henry Fauntleroy *Antiques*

398 Wayward Rd  
Leighton Buzzard LU8 1UA  
Tel: 01555 688777

20 x 30 mm

#### Printer 52

size of imprint	20 x 30 mm
colour of handle	
recommended number of lines	5
packaging	
spare pad	E/52




### Australian National Flag Association

365 KENT STREET  
SYDNEY 2000 AUSTRALIA  
Ph. (02) 223 45 78 Fax: (02) 223 67 35

24 x 45 mm

#### Printer S 200

size of imprint	24 x 45 mm
colour of handle	
recommended number of lines	6
packaging	
spare pad	E/200



### The KENMORE Bar & Restaurant

The Square  
Aberfeldy PH15 2HH  
Tel :+44 1887 830205  
Fax :+44 1887 830262  
the-kenmore@restaurant.co.uk

30 x 45 mm

#### Printer 53

size of imprint	30 x 45 mm
colour of handle	
recommended number of lines	7
packaging	
spare pad	E/53



### ★★★★ HOTEL ★★★★★ GRAND EDINBURGH

45-48 George Street  
Edinburgh EH1 1PA  
Tel: +44 123 221459  
Fax: +44 123 221460  
e-mail: grand@edinburgh-hotel.co.uk

30 x 50 mm

#### Printer 35

size of imprint	30 x 50 mm
colour of handle	
recommended number of lines	7
packaging	
spare pad	E/35



### PAY TO THE ORDER OF:

**Dr. Peter Jones**  
*Medical Practice*  
157 South Liberty Lane  
Bristol BS3 2TL  
Tel: 01234 555671  
Fax: 01234 555672

33 x 56 mm

#### Printer 38

size of imprint	33 x 56 mm
colour of handle	
recommended number of lines	7
packaging	
spare pad	E/38



### AFRICAN PALM TREE Country Club



Tree Cain Rd  
Bracknell LE11 1EP  
Tel: 01234 611613  
Tel: 01234 611614  
Fax - 15  
Fax - 16

40 x 50 mm

#### Printer 54

size of imprint	40 x 50 mm
colour of handle	
recommended number of lines	8
packaging	
spare pad	E/54



40 x 60 mm

Printer 55	
size of imprint	40 x 60 mm
colour of handle	
recommended number of lines	8
packaging	
spare pad	E/55



6 x 15 mm

Printer 05	
size of imprint	6 x 15 mm
colour of handle	
recommended number of lines	2
packaging	
spare pad	E/05



10 x 69 mm

Printer 15	
size of imprint	10 x 69 mm
colour of handle	
recommended number of lines	3
packaging	
spare pad	E/15



15 x 75 mm

Printer 25	
size of imprint	15 x 75 mm
colour of handle	
recommended number of lines	4
packaging	
spare pad	E/25



25 x 82 mm

Printer 45	
size of imprint	25 x 82 mm
colour of handle	
recommended number of lines	6
packaging	
spare pad	E/45



45 x 45 x 45 mm

Printer T 45	
size of imprint	45 x 45 x 45 mm
colour of handle	
recommended number of lines	6
packaging	
spare pad	E/T 45

## 10 | PRINTER LINE Square



12 x 12 mm

## Printer Q 12


size of imprint	12 x 12 mm
colour of handle	
recommended number of lines	3
packaging	
spare pad	E/Q 12
optional: keyring	



17 x 17 mm

## Printer Q 17

size of imprint	17 x 17 mm
colour of handle	
recommended number of lines	4
packaging	
spare pad	E/Q 17



20 x 20 mm

## Printer Q 20

size of imprint	20 x 20 mm
colour of handle	
recommended number of lines	5
packaging	
spare pad	E/Q 20



24 x 24 mm

## Printer Q 24

size of imprint	24 x 24 mm
colour of handle	
recommended number of lines	6
packaging	
spare pad	E/Q 24



31 x 31 mm

## Printer Q 30

size of imprint	31 x 31 mm
colour of handle	
recommended number of lines	7
packaging	
spare pad	E/Q 30



## Route To:

- Training Director
- Personnel Director
- Office Manager
- Sales Manager

43 x 43 mm







## Printer Q 43

size of imprint	43 x 43 mm
colour of handle	
recommended number of lines	10
packaging	
spare pad	E/Q 43

Round **PRINTER LINE** | 11

Ø 12 mm













**Printer R 12**

size of imprint	Ø 12 mm
colour of handle	    
recommended number of lines	2
packaging	   
spare pad	 E/R 12
optional: keyring	 + 



Ø 17 mm











**Printer R 17**

size of imprint	Ø 17 mm
colour of handle	    
recommended number of lines	3
packaging	   
spare pad	 E/R 17
optional: keyring	 + 



Ø 24 mm












**Printer R 24**

size of imprint	Ø 24 mm
colour of handle	    
recommended number of lines	4
packaging	   
spare pad	 E/R 24



Ø 30 mm












**Printer R 30**

size of imprint	Ø 30 mm
colour of handle	    
recommended number of lines	5
packaging	   
spare pad	 E/R 30
optional: spare pad (2-colour)	 E/R 30/2



Ø 40 mm

**Printer R 40**











size of imprint	Ø 40 mm
colour of handle	    
recommended number of lines	7
packaging	   
spare pad	 E/R 40
optional: spare pad (2-colour)	 E/R 40/2

## 12 | PRINTER LINE Round | Oval



Ø 45 mm












### Printer R 45

size of imprint	Ø 45 mm
colour of handle	    
recommended number of lines	9
packaging	   
spare pad	 E/R 45



Ø 50 mm











### Printer R 50

size of imprint	Ø 50 mm
colour of handle	    
recommended number of lines	9
packaging	   
spare pad	 E/R 50
optional: spare pad (2-colour)	 E/R 50/2



28 x 44 mm











### Printer Oval 44

size of imprint	28 x 44 mm
colour of handle	    
recommended number of lines	5
packaging	   
spare pad	 E/Oval 44



35 x 55 mm

### Printer Oval 55

size of imprint	35 x 55 mm
colour of handle	    
recommended number of lines	6
packaging	   
spare pad	 E/Oval 55





20 x 30 mm

Printer 52-Dater	
size of imprint	20 x 30 mm
colour of handle	
height of date	3 mm
recommended number of lines	3 *
packaging	
spare pad	E/52



24 x 45 mm

Printer S 260	
size of imprint	24 x 45 mm
colour of handle	
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/200
optional: spare pad (2-colour)	E/200/2
optional: Green Line	



30 x 45 mm

Printer 53-Dater	
size of imprint	30 x 45 mm
colour of handle	
height of date	3 mm
recommended number of lines	5 *
packaging	
spare pad	E/53
optional: spare pad (2-colour)	E/53/2



30 x 50 mm

Printer 35-Dater	
size of imprint	30 x 50 mm
colour of handle	
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	E/35
optional: spare pad (2-colour)	E/35/2



33 x 56 mm

Printer 38-Dater	
size of imprint	33 x 56 mm
colour of handle	
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	E/38
optional: spare pad (2-colour)	E/38/2

\* includes one line for the date

# 14 | PRINTER LINE DATER Rectangular



40 x 50 mm

Printer 54-Dater	
size of imprint	40 x 50 mm
colour of handle	
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	E/54
optional: spare pad (2-colour)	E/54/2



40 x 60 mm

Printer 55-Dater	
size of imprint	40 x 60 mm
colour of handle	
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	E/55
optional: spare pad (2-colour)	E/55/2



37 x 76 mm


Printer 60-Dater M	
size of imprint	37 x 76 mm
colour of handle	
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	E/60

Printer 60 DD Printer 60 L Printer 60 R



37 x 76 mm

Printer 60-Dater Double Date	
Printer 60-Dater L/R	
size of imprint	37 x 76 mm
colour of handle	
height of date	3 mm
recommended number of lines	7 *
packaging	
spare pad	E/60



76 x 37 mm

Printer 60-Dater H	
size of imprint	76 x 37 mm
colour of handle	
height of date	3 mm
recommended number of lines	16 *
packaging	
spare pad	E/60


\* includes one line for the date



24 x 24 mm

**Printer Q 24-Dater**

size of imprint	24 x 24 mm
colour of handle	
height of date	2 mm
recommended number of lines	5 *
packaging	
spare pad	E/Q 24



31 x 31 mm

**Printer Q 30-Dater**

size of imprint	31 x 31 mm
colour of handle	
height of date	3 mm
recommended number of lines	5 *
packaging	
spare pad	E/Q 30
optional: spare pad (2-colour)	E/Q 30/2



43 x 43 mm

**Printer Q 43-Dater**

size of imprint	43 x 43 mm
colour of handle	
height of date	3 mm
recommended number of lines	9 *
packaging	
spare pad	E/Q 43
optional: spare pad (2-colour)	E/Q 43/2



45 x 45 x 45 mm

**Printer T 45-Dater**

size of imprint	45 x 45 x 45 mm
colour of handle	
height of date	2 mm
recommended number of lines	5 *
packaging	
spare pad	E/T 45



35 x 55 mm

**Printer Oval 55-Dater**

size of imprint	35 x 55 mm
colour of handle	
height of date	3 mm
recommended number of lines	5 *
packaging	
spare pad	E/Oval 55

## 16 | PRINTER LINE DATER Round



Ø 24 mm

### Printer R 24-Dater

size of imprint	Ø 24 mm
colour of handle	
height of date	2 mm
recommended number of lines	2 *
packaging	
spare pad	E/R 24




Ø 30 mm

### Printer R 30-Dater

size of imprint	Ø 30 mm
colour of handle	
height of date	3 mm
recommended number of lines	4 *
packaging	
spare pad	E/R 30
optional: spare pad (2-colour)	E/R 30 DATER/2



Ø 40 mm



R 40 Dater  
"24-Hours"

R 40 Dater  
"12-Hours"

### Printer R 40-Dater

size of imprint	Ø 40 mm
colour of handle	
height of date	3 mm
recommended number of lines	6 *
packaging	
spare pad	E/R 40
optional: spare pad (2-colour)	E/R 40/1 DATER/2



Ø 45 mm

### Printer R 45-Dater

size of imprint	Ø 45 mm
colour of handle	
height of date	3 mm
recommended number of lines	8 *
packaging	
spare pad	E/R 45
optional: spare pad (2-colour)	E/R 45 DATER/2



Ø 50 mm

### Printer R 50-Dater

size of imprint	Ø 50 mm
colour of handle	
height of date	4 mm
recommended number of lines	8 *
packaging	
spare pad	E/R 50
optional: spare pad (2-colour)	E/R 50 DATER/2

\* includes one line for the date



12 NOV 2025



1 2 3 4 5 6

**Printer S 220 / S 226**

colour of handle	
height of date / numbers	4 mm
packaging	
spare pad	E/200
optional: Green Line   S 226 special characters	



**ORIGINAL**

AIR MAIL D R A F T  
 APPROVED FILE COPY  
 CANCELLED FIRST CLASS  
 CONFIDENTIAL ORIGINAL  
 CONFIRMATION S H R E D  
 C O P Y U R G E N T !

**Printer S 220/W**

colour of handle	
height of phrase band	4 mm
packaging	
spare pad	E/200
optional: Green Line	



24 x 45 mm

L1



L2

L3

**Printer S 260/L**

size of imprint	24 x 45 mm
colour of handle	
height of date	4 mm
packaging	
spare pad	E/200
optional: spare pad (2-colour)	E/200/2
optional: Green Line	



24 x 45 mm

**Printer S 200**


size of imprint	24 x 45 mm
colour of handle	
recommended number of lines	6
packaging	
spare pad	E/200



24 x 45 mm

**Printer S 226/P**

size of imprint	24 x 45 mm
colour of handle	
height of numbers	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/200
optional: spare pad (2-colour)	E/200/2
optional: special characters	



24 x 45 mm

**Printer S 260**

size of imprint	24 x 45 mm
colour of handle	
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/200
optional: spare pad (2-colour)	E/200/2
optional: Green Line	



# 18 | PRINTER LINE Printer Mini Line



12 NOV 2025



12. 11. 25

Mini-Dater S 120 / S 120 SD	
height of date	4 mm
packaging S 120	
packaging S 120 SD	
spare pad	E/10



**APPROVED**

AIR MAIL CHECKED  
 APPROVED FILE COPY  
 CANCELLED FIRST CLASS  
 CONFIDENTIAL CREDIT  
 CONFIRMATION OVERDUE  
 COPY URGENT!

Mini-Info S 120/W	
height of phrase band	4 mm
packaging	
spare pad	E/10



1 2 3 4 5 6

Mini-Folio S 126	
height of numbers	4 mm
packaging	
spare pad	E/10



12 NOV 2025 - 21 NOV 2025

Mini-Dater S 120/DD	
height of date	4 mm
packaging	
spare pad	E/12



1 2 3 4 5 6 7 8 9 0 1 2 3

Mini-Folio S 120/13	
height of numbers	4 mm
packaging	
spare pad	E/12



**URGENT 12 NOV 2025**

APPROVED DELIVERED  
 URGENT CREDIT  
 E-MAILED FAXED  
 CANCELLED PAID  
 CHARGED RECEIVED  
 CHECKED SHIPPED

Mini-Info-Dater S 120/WD	
height of date / phrase band	4 mm
packaging	
spare pad	E/12
optional: spare pad (2-colour)	E/12/2



RECEIVED SI160/L1  
 12 NOV 2025

PAID SI160/L2  
 12 NOV 2025

FAXED SI160/L3  
 12 NOV 2025

e-m@iled SI160/L4  
 12 NOV 2025

SCANNED SI160/L6  
 12 NOV 2025

Mini-Dater S 160/L	
height of date	4 mm
packaging	
spare pad	E/10
optional: spare pad (2-colour)	E/10/2



CHECKED BY 10 x 25 mm  
 GEORGE BARET 12 NOV 2025

Mini-Dater S 120/P	
size of imprint	10 x 25 mm
height of date	4 mm
recommended number of lines	2
packaging	
spare pad	E/12
optional: spare pad (2-colour)	E/12/2



5 x 25 mm  
 GEORGE BARET  
 EXPORT DEPARTMENT  
 12 NOV 2025

Mini-Dater S 160	
size of imprint	5 x 25 mm
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/10
optional: spare pad (2-colour)	E/10/2



3,5 x 49 mm  
 Please note our annual holiday:  
 12 NOV 2025 - 21 NOV 2025

Mini-Dater S 160/DD	
size of imprint	3,5 x 49 mm
height of date	4 mm
recommended number of lines	2 *
packaging	
spare pad	E/12



8 x 52 mm  
 Henry Wellington - Managing Director

Mini-Print S 110	
size of imprint	8 x 52 mm
recommended number of lines	2
packaging	
spare pad	E/12

\* includes one line for the date

## 20 | PRINTER LINE Stock Text Stamps



<b>A/C PAYEE ONLY</b>	<b>AIRMAIL</b>		
<b>APPROVED</b>	<b>1st CLASS</b>		
<b>CANCELLED</b>	<b>CHECKED</b>		
<b>CONFIRMATION</b>	<b>CONFIDENTIAL</b>	<b>COPY</b>	<b>DRAFT</b>
<b>E-MAIL</b>	<b>ENTERED</b>	<b>FAXED</b>	<b>IMPORTANT</b>
<b>NOT NEGOTIABLE</b>	<b>ORIGINAL</b>	<b>PAID</b>	<b>POSTED</b>
<b>RECEIVED</b>	<b>REGISTERED</b>	<b>REMINDER</b>	<b>URGENT</b>

Printer 20/L	
size of imprint	14 x 38 mm
colours	
packaging	
spare pad	E/20



14 x 38 mm



18 x 47 mm




Printer 30 Incognito	
size of imprint	18 x 47 mm
colours	
packaging	
spare pad	E/30



Ø 22 mm

Motivational Stamps	
size of imprint	Ø 22 mm
colour of handle	
packaging	



Ø 22 mm

[AR] Stamps	
Imprint designs with „Augmented Reality“ feature	
size of imprint	Ø 22 mm
colour of handle	
packaging	





Heavy Duty

# Heavy Duty


Extremely reliable marking devices



Comprehensive range for every use: from Classic Line and Expert Line for sturdy and heavy use up to the light weight Office Line.




Expert Line: Metal equals stability and durability - minimum 80% pure steel



Band cover for clean handling



Image window shows imprint and even offers space for further personalisation



Bands with individual characters available for various models



Easy to change ink pads

## 22 | HEAVY DUTY Expert Line



24 x 41 mm

### 3160

size of imprint	24 x 41 mm
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/2100
optional: spare pad (2-colour)	E/2100/2



30 x 45 mm

### 3360

size of imprint	30 x 45 mm
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	E/2300
optional: spare pad (2-colour)	E/2300/2



37 x 58 mm

### 3660

size of imprint	37 x 58 mm
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	E/2600
optional: spare pad (2-colour)	E/2600/2



49 x 68 mm

### 3860

size of imprint	49 x 68 mm
height of date	4 mm
recommended number of lines	9 *
packaging	
spare pad	E/2800
optional: spare pad (2-colour)	E/2800/2

\* includes one line for the date





**JANET WEBBERLEY**

WINIFRED HOUSE  
CORNELLS LANE  
WIDDINGTON  
ESSEX CB11 3SP  
TEL: 01799 540846

24 x 41 mm

**3100**



size of imprint	<b>24 x 41 mm</b>
recommended number of lines	<b>6</b>
packaging	
spare pad	 <b>E/2100</b>



SOLD BY  
**PAUL'S  
PLUMBING SHOP**  
418 HILLSIDE AVENUE  
TAMPA, FLORIDA 94836  
PHONE: 348-9762

30 x 45 mm

**3300**



size of imprint	<b>30 x 45 mm</b>
recommended number of lines	<b>7</b>
packaging	
spare pad	 <b>E/2300</b>



 **REDWOOD**  
Garden Centre  
Unit 15 Bristol Rd  
Edgewater TA8 9AW  
tel: 01234 - 497128  
fax 01234 - 497129

27 x 58 mm

**3400**



size of imprint	<b>27 x 58 mm</b>
recommended number of lines	<b>6</b>
packaging	
spare pad	 <b>E/3400</b>



 **AUSTRALIAN  
NATIONAL FLAG  
ASSOCIATION**  
  
365 KENT STREET  
SYDNEY 2000 AUSTRALIA  
Ph. (02) 223 45 78 Fax: (02) 223 67 35

37 x 58 mm

**3600**



size of imprint	<b>37 x 58 mm</b>
recommended number of lines	<b>8</b>
packaging	
spare pad	 <b>E/2600</b>

**BRITISH CARGO OVERSEAS  
INTERNATIONAL TRANSPORT LTD**

North London Freight Centre  
York Way, Kings Cross, London N3 8BB  
Tel: 0123 456 7890 Fax: 0123 456 7891  
www.britishcargooverseas.com  
sales@britishcargooverseas.co.uk

34 x 79 mm

**3700**

size of imprint	<b>34 x 79 mm</b>
recommended number of lines	<b>7</b>
packaging	
spare pad	 <b>E/3700</b>

24 | HEAVY DUTY Expert Line



Ø 40 mm

R 3040-Dater	
size of imprint	Ø 40 mm
height of date	4 mm
recommended number of lines	7
packaging	
spare pad	E/R 2040
optional: spare pad (2-colour)	E/R 2040/2



Ø 40 mm

R 3040	
size of imprint	Ø 40 mm
recommended number of lines	7
packaging	
spare pad	E/R 2040



ALL DIMENSIONS ARE CERTIFIED AS ON ORIGINAL DRAFT

REVISIONS MADE ARE RECORDED AND FILED BY THE FOLLOWING:

Initials & Date	Dept.
Initials & Date	Dept.
Initials & Date	Dept.

49 x 68 mm

3800	
size of imprint	49 x 68 mm
recommended number of lines	10
packaging	
spare pad	E/2800



**British Cargo Overseas**  
**International Transport LTD**  
 Office Department: Jack-Nick Olsen

North London Freight Centre  
 York Way, Kings Cross, London N3 8BB  
 Tel: 0207 659 2132-15, Fax: 0207 659 2132 -781  
 E-Mail: office@britishcargooverseas.co.uk  
 Homepage: www.britishcargooverseas.com

Signature & Order Number:

55 x 106 mm

3900	
size of imprint	55 x 106 mm
recommended number of lines	12
packaging	
spare pad	E/3900

\* includes one line for the date






24 x 41 mm

2160	
size of imprint	24 x 41 mm
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/2100
optional: spare pad (2-colour)	E/2100/2



30 x 45 mm

2360	
size of imprint	30 x 45 mm
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	E/2300
optional: spare pad (2-colour)	E/2300/2
optional: Green Line   Microban®	



27 x 58 mm

2460	
size of imprint	27 x 58 mm
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	E/2600
optional: spare pad (2-colour)	E/2600/2



37 x 58 mm

- 2660/S3
- 2660
- 2660/S4

2660	
size of imprint	37 x 58 mm
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	E/2600
optional: spare pad (2-colour)	E/2600/2
optional: Green Line   Microban®	



49 x 68 mm

2860	
size of imprint	49 x 68 mm
height of date	4 mm
recommended number of lines	9 *
packaging	
spare pad	E/2800
optional: spare pad (2-colour)	E/2800/2

\* includes one line for the date

Microban® is a registered trademark of the Microban Products Company



**JANET WEBBERLEY**

WINIFRED HOUSE  
 CORNELLS LANE  
 WIDDINGTON  
 ESSEX CB11 3SP  
 TEL: 01799 540846

24 x 41 mm

2100	
size of imprint	24 x 41 mm
recommended number of lines	6
packaging	
spare pad	E/2100



SOLD BY  
**PAUL'S  
 PLUMBING SHOP**  
 418 HILLSIDE AVENUE  
 TAMPA, FLORIDA 94836  
 PHONE: 348-9762

30 x 45 mm

2300	
size of imprint	30 x 45 mm
recommended number of lines	7
packaging	
spare pad	E/2300
optional: Green Line   Microban®	



**REDWOOD**  
 Garden Centre  
 Unit 15 Bristol Rd  
 Edgewater TA8 9AW  
 tel: 01234 - 497128  
 fax 01234 - 497129

27 x 58 mm

2400	
size of imprint	27 x 58 mm
recommended number of lines	6
packaging	
spare pad	E/2600



**AUSTRALIAN  
 NATIONAL FLAG  
 ASSOCIATION**  
 365 KENT STREET  
 SYDNEY 2000 AUSTRALIA  
 Ph. (o2) 223 45 78 Fax: (02) 223 67 35

37 x 58 mm

2600	
size of imprint	37 x 58 mm
recommended number of lines	8
packaging	
spare pad	E/2600
optional: Green Line   Microban®	



ALL DIMENSIONS ARE CERTIFIED  
 AS ON ORIGINAL DRAFT  
 REVISIONS MADE ARE RECORDED  
 AND FILED BY THE FOLLOWING:

\_\_\_\_\_  
 Initials & Date Dept.

\_\_\_\_\_  
 Initials & Date Dept.

\_\_\_\_\_  
 Initials & Date Dept.

49 x 68 mm

2800	
size of imprint	49 x 68 mm
recommended number of lines	10
packaging	
spare pad	E/2800






Ø 45 mm

R 2045	
size of imprint	Ø 45 mm
recommended number of lines	7
packaging	
spare pad	E/R 45



Ø 45 mm

R 2045 6	
size of imprint	Ø 45 mm
height of date	4 mm
recommended number of lines	6 *
packaging	
spare pad	E/R 45
optional: spare pad (2-colour)	E/R 45/2



Ø 40 mm - "12-Hours"

Ø 40 mm - "24-Hours"

R 2045 UZ	
size of imprint	Ø 40 mm
height of date	4 mm
recommended number of lines	6 *
packaging	
spare pad	E/R 45
optional: spare pad (2-colour)	E/R 45/2



10 x 26 mm

2000/P	
size of imprint	10 x 26 mm
height of date	4 mm
recommended number of lines	2 *
packaging	
spare pad	E/2600



24 x 41 mm


2106/P	
size of imprint	24 x 41 mm
height of numbers	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/2100
optional: spare pad (2-colour)	E/2100/2
optional: special characters	€/№

\* includes one line for the date



30 x 58 mm

2008/P	
size of imprint	30 x 58 mm
height of numbers	5 mm
recommended number of lines	5 *
packaging	
spare pad	E/2600
optional: special characters	€#



30 x 58 mm

2010/P	
size of imprint	30 x 58 mm
height of numbers	5 mm
recommended number of lines	5 *
packaging	
spare pad	E/2600
optional: special characters	€#



12 NOV 2025 2100/3  
 12 NOV 2025 2100/4  
 12 NOV 2025 2000/5

2100/3	2100/4	2000/5
height of date 2100/3		3 mm
height of date 2100/4		4 mm
spare pad 2100/3, 2100/4		E/2100
height of date 2000/5		5 mm
spare pad 2000/5		E/2300
packaging		




1 2 3 4 5 6 2106  
 1 2 3 4 5 6 7 8 2008  
 1 2 3 4 5 6 7 8 9 0 2010

2106	2008	2010
height of numbers 2106		4 mm
spare pad 2106		E/2100
height of numbers 2008, 2010		5 mm
spare pad 2008, 2010		E/2600
packaging		
optional: special characters		€#



**BILLED 12 NOV 2025**  
 ANSWERED DELIVERED  
 BACK ORDERED ENTERED  
 BILLED FAXED  
 CANCELLED PAID  
 CHARGED RECEIVED  
 CHECKED SHIPPED

2000/WD	
height of date / phrase band	4 mm
packaging	
spare pad	E/2600



30 x 45 mm



S 360 Green Line	
size of imprint	30 x 45 mm
height of date	4 mm
recommended number of lines	5 *
packaging	
spare pad	E/2300
optional: spare pad (2-colour)	E/2300/2



37 x 58 mm



S 660 Green Line	
size of imprint	37 x 58 mm
height of date	4 mm
recommended number of lines	7 *
packaging	
spare pad	E/2600
optional: spare pad (2-colour)	E/2600/2



30 x 45 mm



S 300 Green Line	
size of imprint	30 x 45 mm
recommended number of lines	7
packaging	
spare pad	E/2300



37 x 58 mm



S 600 Green Line	
size of imprint	37 x 58 mm
recommended number of lines	8
packaging	
spare pad	E/2600

\* includes one line for the date



# Pocket Stamps

Essential companions



Multifunctional and always with you - on your desk in the office, or "on the road" in a pocket, around the neck or on a keyring.



Pocket Stamp Plus: open - stamp - close with just one hand



COLOP's pen stamps are attractive writing implements, but with the added function of a practical stamp



Easy and flexible to use - effortless and clean



Modern design - the perfect gift for everyone



Small, smart and portable - with a clip it goes everywhere





**MARY COOPER**  
 28 Hucclecote Road • Gloucester GL5 9TH  
 Tel: 1452 54 33 21  
 e-mail: mary@cooper.co.uk

14 x 38 mm



Pocket Stamp Plus 20	
size of imprint	14 x 38 mm
colours	
recommended number of lines	4
packaging	
spare pad	E/PSP 20
optional: Green Line   Microban®	



**UNSERE NEUE ANSCHRIFT!**  
 Kapsamerstraße 43  
 88046 Friedrichshafen  
 Tel. 0 74 52 / 79 34 87  
 E-mail: Archi@Archi.co.d

18 x 47 mm

Pocket Stamp Plus 30	
size of imprint	18 x 47 mm
colours	
recommended number of lines	5
packaging	
spare pad	E/PSP 30
optional: Green Line   Microban®	



**RED SKIES LTD**  
 Advertising Agency  
 Parker Tower 43  
 49 Parker St WC2B 5PS London  
 Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19  
 e-mail: red@skies\_ltd.co.uk

23 x 59 mm

Pocket Stamp Plus 40	
size of imprint	23 x 59 mm
colours	
recommended number of lines	6
packaging	
spare pad	E/PSP 40
optional: Green Line   Microban®	



Accessory: Lanyard	
size	45 cm
packaging	

Accessory: Keyring	
size	9 cm
packaging	





**WAYNE INDUSTRIES**  
502 Gotham Lane, Gotham City, GC 10086  
tel: 555 367-5634 • fax 555 367-5635

10 x 39 mm

Pocket Stamp Mini	
size of imprint	10 x 39 mm
colours	
recommended number of lines	3
packaging	
spare pad	E/Minipocket



Bulk Rate  
U.S. POSTAGE  
**PAID**  
MASCO CORPORATION

25 x 25 mm

Pocket Stamp Q 25	
size of imprint	25 x 25 mm
colours	
recommended number of lines	6
packaging	
spare pad	E/Pocketstamp 25



Ø 25 mm

Pocket Stamp R 25	
size of imprint	Ø 25 mm
colours	
recommended number of lines	4
packaging	
spare pad	E/Pocketstamp 25



Ø 32 mm

Pocket Stamp R 30	
size of imprint	Ø 32 mm
colours	
recommended number of lines	5
packaging	
spare pad	E/Pocketstamp R30



Ø 40 mm

Pocket Stamp R 40	
size of imprint	Ø 40 mm
colours	
recommended number of lines	7
packaging	
spare pad	E/Pocketstamp R40



**THOMAS JERRY**  
 Mouse Avenue 115  
 Mice City, MC 194058  
 e-mail: thomas@jerry.com

14 x 38 mm



Stamp Mouse 20	
size of imprint	14 x 38 mm
colour of handle	
recommended number of lines	4
packaging	



**THOMAS A. JERRY**  
 Mouse Avenue 123  
 Mice City, MC 191087  
 e-mail: thomas@jerry.com  
 www.thomas-a-jerry.com

18 x 47 mm

Stamp Mouse 30	
size of imprint	18 x 47 mm
colour of handle	
recommended number of lines	5
packaging	




Ø 30 mm

Stamp Mouse R 30	
size of imprint	Ø 30 mm
colour of handle	
recommended number of lines	5
packaging	



Ø 40 mm

Stamp Mouse R 40	
size of imprint	Ø 40 mm
colour of handle	
recommended number of lines	7
packaging	



Accessory: Clip	
packaging	

Accessory: Lanyard	
size	45 cm
packaging	

Accessory: Keyring	
size	9 cm
packaging	



**STAN WRITE**  
mobile: 021-898 5107  
e-mail: stan@write.com  
8 x 33 mm



Stamp Writer	
size of imprint	8 x 33 mm
colours	
recommended number of lines	3
optional: exclusive case	
refill	



**STAN WRITE**  
mobile: 021-898 5107  
e-mail: stan@write.com  
8 x 33 mm



Stamp Writer Exclusive	
size of imprint	8 x 33 mm
colours	
recommended number of lines	3
optional: exclusive case	
refill	




**STAN WRITE**  
mobile: 021-898 5107  
e-mail: stan@write.com  
8 x 33 mm




Stamp Writer Promotion	
size of imprint	8 x 33 mm
colours	
recommended number of lines	3
refill	



**Pam Stamp**  
mobile: 555 5018  
e-mail: pam@stamp.com  
8 x 33 mm



Pen Stamp Alu Magnet Touch	
size of imprint	8 x 33 mm
colours	
recommended number of lines	3
optional: exclusive case	
refill	



# DIY Stamps

Express yourself -  
impress the rest



The COLOP range of DIY stamps combines the functional advantages of self-inking stamps with the ability to set and create an individual message. DIY stamps are available as typical office stamps as well as handy portable stamps.



Attractive packaging -  
stands out in every  
retail outlet



Easy setting of an  
individual text plate using  
the tweezers supplied



Flexibility to  
change as often  
as required



With pictograms and  
symbols - always on the  
leading edge





JANE WEBBERLY  
SCOTLAND ROAD 27  
WEST LONDON CB11 3SP  
01234 598067

14 x 38 mm

**Printer 20/1 Set**

size of imprint	14 x 38 mm
colour of handle	
max. number of lines	4
max. letters per line	17
type set	TS 35 / 3.5 mm
packaging	
spare pad	E/20



→ JANE WEBBERLY ←  
SCOTLAND ROAD 27  
WEST LONDON CB11 3SP  
01234 598067  
e-mail: MARY@WEB.com

18 x 47 mm

**Printer 30/1 Set**

size of imprint	18 x 47 mm
colour of handle	
max. number of lines	5
max. letters per line	21
type set	TS 35 / 3.5 mm
packaging	
spare pad	E/30



→ JANE WEBBERLY ←  
SCOTLAND ROAD 27  
WEST ESSEX CB11 3SP  
 01234 598067  
e-mail: MARY@WEB.com

18 x 47 mm

**Printer 30/2 Set**

size of imprint	18 x 47 mm
colour of handle	
max. number of lines	5
max. letters per line	21
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	
spare pad	E/30



→ MARY JANE WEBBERLY ←  
SCOTLAND ROAD 27  
WEST ESSEX CB11 3SP  
 01234 598067  
Fax: 01234 598068  
e-mail: MARY@WEB.com

23 x 59 mm

**Printer 40/2 Set**

size of imprint	23 x 59 mm
colour of handle	
max. number of lines	6
max. letters per line	26
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	
spare pad	E/40



→ MARY JANE WEBBERLY ←  
SCOTLAND ROAD 27  
WEST ESSEX  
CB11 3SP  
 01234 598067  
Fax: 01234 598068  
e-mail: MARY@WEB.com

30 x 69 mm

**Printer 50/2 Set**

size of imprint	30 x 69 mm
colour of handle	
max. number of lines	8
max. letters per line	32
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	
spare pad	E/50





JANE WEBBERLY  
SCOTLAND ROAD 27  
WEST LONDON CB11 3SP  
01234 598067

14 x 38 mm

**Pocket Stamp Plus 20 Set**

size of imprint	14 x 38 mm
colours	
max. number of lines	4
max. letters per line	17
type set	TS 35 / 3.5 mm
packaging	
spare pad	E/PSP 20



THOMAS JERRY  
MOUSE AVE. 115  
MICE CITY, MC4058  
THOMAS@JERRY.COM

14 x 38 mm

**Stamp Mouse 20 Set**

size of imprint	14 x 38 mm
colour of handle	
max. number of lines	4
max. letters per line	17
type set	TS 35 / 3.5 mm
packaging	



→ THOMAS JERRY ←  
MOUSE AVENUE 115  
MICE CITY, MC4058  
e-m@il: THOMAS@JERRY.COM  
http://www.THOMAS-JERRY.com

18 x 47 mm

**Stamp Mouse 30 Set**

size of imprint	18 x 47 mm
colour of handle	
max. number of lines	5
max. letters per line	21
type set	TS 35 / 3.5 mm
packaging	



→ MARY JANE WEBBERLEY ←  
e-m@il: MARY.JANE@WEB.com

10 x 69 mm

**Printer 15 Set**

size of imprint	10 x 69 mm
colour of handle	
max. number of lines	2
max. letters per line	31
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	
spare pad	E/15



MARY JANE WEBBERLEY  
HIGHLAND ROAD 27  
WEST ESSEX  
→ CB 11 3SP ←  
☎ 0555 / 890 640 23  
Fax: 0555 / 890 640 27  
mobile 890 641 33  
e-m@il: MARY.JANE@WEB.com  
www.MARY-JANE-WEBBERLEY.COM

40 x 60 mm

**Printer 55 Set**

size of imprint	40 x 60 mm
colour of handle	
max. number of lines	10
max. letters per line	27
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	
spare pad	E/55



24 x 45 mm

Printer S 260 Set	
size of imprint	24 x 45 mm
colour of handle	
height of date	4 mm
max. number of lines	2
max. letters per line	16
type set	TS 40 / 4 mm
packaging	
optional: spare pad (2-colour)	E/200/2



30 x 45 mm

2360 Set	
size of imprint	30 x 45 mm
height of date	4 mm
max. number of lines	4
max. letters per line	20
type set	TS 25 / 2.5 mm TS 35 / 3.5 mm
packaging	
optional: spare pad (2-colour)	E/2300/2



24 x 41 mm

Enclosed stock texts: Ans'd.....  
 F A X E D Per.....  
 P A I D PAGE.....OF.....  
 R E C E I V E D .....

2160/RL	
size of imprint	24 x 41 mm
height of date	4 mm
max. number of lines	2
height of phrase band	4 mm
packaging	
spare pad	E/2100
optional: spare pad (2-colour)	E/2100/2



27 x 58 mm

2400 Set with Exchangeable Plates	
size of imprint	27 x 58 mm
max. number of lines	6
max. letters per line	3 mm/26 4 mm/21
type set	TS 30 / 3 mm TS 40 / 4 mm
packaging	
spare pad	E/2600





# Green Line

We take responsibility



**The self-inking stamp range predominantly made from sustainable and recycled material. A minimum of between 65% and 80% recycled plastic is used. The already significantly reduced but unavoidable CO<sub>2</sub> emissions are compensated by means of investment in climate protection projects (GOLD STANDARD Projects), based on the system boundary “cradle to gate”.**



Evaluated according to ISO 14044, verified by Denkstatt an independent institute and based on the system boundary “cradle to gate”



1 Stamp = 2 ImageCard™ designs




The Classic Green Line handles are FSC® certified (Forest Stewardship Council®)



The Austrian Eco-Label is awarded by the Republic of Austria as represented by the Federal Ministry of Environment



The Green Line range was audited during the ISO 14001 accreditation process



Bands with individual characters available for various models





**MARY GREENSHINE**

Greenwheel Park Ind  
Glasgow G34 9LS  
Tel: 1234 810058

14 x 38 mm



**Printer 20 Green Line**

size of imprint	14 x 38 mm
colours	
recommended number of lines	4
packaging	
spare pad	E/20



**GORDON GREENLEAF**

Emerald-Green Lane Park  
Aberdeen AB13 7BE  
Tel: 1234 921068  
e-mail: gordon@greenleaf.com

18 x 47 mm



**Printer 30 Green Line**

size of imprint	18 x 47 mm
colours	
recommended number of lines	5
packaging	
spare pad	E/30



**GREEN LINE LTD**

Advertising Agency  
Parker Tower 43

49 Parker St, London WC2B 5PS  
Tel: 01234 743060 - Fax: 01234 743063  
e-mail: green@line-ltd.co.uk

23 x 59 mm



**Printer 40 Green Line**

size of imprint	23 x 59 mm
colours	
recommended number of lines	6
packaging	
spare pad	E/40



**LANCASTER GARDEN PRODUCTS**

Gardening - Equipment and Supplies

Stockton Lane • York YO65 5UE

Tel: 1555 40 01 41

Fax: 1555 40 01 85

e-mail: lancaster@garden.co.uk

e-mail: garden@equip\_supplies.co.uk

30 x 69 mm



**Printer 50 Green Line**

size of imprint	30 x 69 mm
colours	
recommended number of lines	7
packaging	
spare pad	E/50



**MARY GREENSHINE**

Greenwheel Park Ind  
Glasgow G34 9LS  
Tel: 1234 810058

14 x 38 mm



**Pocket Stamp Plus 20 Green Line**

size of imprint	14 x 38 mm
colours	
recommended number of lines	4
packaging	
spare pad	E/PSP 20



**GORDON GREENLEAF**

Emerald-Green Lane Park  
Aberdeen AB13 7BE  
Tel: 1234 921068

e-mail: gordon@greenleaf.com

18 x 47 mm



**Pocket Stamp Plus 30 Green Line**

size of imprint	18 x 47 mm
colours	
recommended number of lines	5
packaging	
spare pad	E/PSP 30





**GREEN LINE LTD**  
 Advertising Agency  
 Parker Tower 43  
 49 Parker St, London WC2B 5PS  
 Tel: 01234 743060 - Fax: 01234 743063  
 e-mail: green@line-ltd.co.uk

23 x 59 mm



**Pocket Stamp Plus 40 Green Line**

size of imprint	23 x 59 mm
colours	
recommended number of lines	6
packaging	
spare pad	E/PSP 40



12 NOV 2025



**Printer S 220 Green Line**

colours	
height of date	4 mm
packaging	
spare pad	E/200



1 2 3 4 5 6



**Printer S 226 Green Line**

colours	
height of numbers	4 mm
packaging	
spare pad	E/200
optional: special characters	



ORIGINAL

AIR MAIL D R A F T  
 APPROVED FILE COPY  
 CANCELLED FIRST CLASS  
 CONFIDENTIAL ORIGINAL  
 CONFIRMATION S H R E D  
 C O P Y U R G E N T !



**Printer S 220/W Green Line**

colours	
height of phrase band	4 mm
packaging	
spare pad	E/200



**SHIPPED**  
 12 NOV 2025  
 BY .....

24 x 45 mm



**Printer S 260 Green Line**

size of imprint	24 x 45 mm
colours	
height of date	4 mm
recommended number of lines	3 *
packaging	
spare pad	E/200
optional: spare pad (2-colour)	E/200/2



**RECEIVED**  
 12 NOV 2025  
 BY: \_\_\_\_\_

24 x 45 mm

L1

**PAID** 12 NOV 2025 BY: \_\_\_\_\_ L2  
**FAXED** 12 NOV 2025 BY: \_\_\_\_\_ L3



**Printer S 260L Green Line**

size of imprint	24 x 45 mm
colours	
height of date	4 mm
recommended number of lines	3 *
packaging	
optional: spare pad	E/200
spare pad (2-colour)	E/200/2

\* includes one line for the date



**GREEN LINE SECURITY LTD**  
 174a - 175c South Huntington Lane  
 Bristol BS8 2TL  
 Tel: 123 907 56 05  
 Fax: 123 908 58 75  
 e-mail: [green-line@security.co.uk](mailto:green-line@security.co.uk)

30 x 45 mm



2300 Green Line	
size of imprint	30 x 45 mm
recommended number of lines	7
packaging	E/2300
spare pad	E/2300



**RECEIVED GREEN LINE AGENCY**  
**12 NOV 2025**  
 Unit 37 The Emerald Centre, 2nd Way  
 Wembley HA3 9JD

30 x 45 mm



2360 Green Line	
size of imprint	30 x 45 mm
height of date	4 mm
recommended number of lines	5 *
packaging	E/2300
spare pad	E/2300
optional: spare pad (2-colour)	E/2300/2



**BRITISH GREEN FLAG ASSOCIATION**  
 Unit 54b Severnside Trading Estate  
 Hemel Hempstead HP8 7YU  
 Tel: 1234 42 82 00, Fax: 1234 42 83 34  
 e-mail: [british-green-flag@association.co.uk](mailto:british-green-flag@association.co.uk)  
[www.british-green-flag-association.co.uk](http://www.british-green-flag-association.co.uk)

37 x 58 mm



2600 Green Line	
size of imprint	37 x 58 mm
recommended number of lines	8
packaging	E/2600
spare pad	E/2600



★★★ **Green Line** ★★★  
**INTERNATIONAL BANK PLC**  
**12 NOV 2025**  
 Green Lane 2-7 Moorgate, London EC4R 9JH  
 Tel: 01234 767999, Fax: 01234 767998  
 e-mail: [green@line\\_inter-bank.co.uk](mailto:green@line_inter-bank.co.uk)

37 x 58 mm



2660 Green Line	
size of imprint	37 x 58 mm
height of date	4 mm
recommended number of lines	7 *
packaging	E/2600
spare pad	E/2600
optional: spare pad (2-colour)	E/2600/2



Office Green Line see page 30

\* includes one line for the date



# Microban® Stamps

Stamps with antibacterial protection



**In daily life stamps are handled by many different people – this means multiple hand impressions and the transfer of bacteria. Built-in during the point of manufacture, Microban® antibacterial protection inhibits the growth of harmful bacteria.**



The main touch points have Microban® antibacterial protection built-in



Left:  
Unprotected surface  
Right:  
Surface protected with Microban



COLOP are utilising Microban 3G Silver™ technology. Built-in during manufacture, it will not wash off or wear away



COLOP regularly participate in the Microban Quality Assurance programme

Microban® is a registered trademark of the Microban Products Company. Contains the antimicrobial biocide silver phosphate glass (CAS: 308069-39-8) to keep the stamp surface germ-free.



*Kenneth Clark*  
Unit 90A, Valepits Road, Barretts Grove  
Birmingham B66 9TD

10 x 27 mm

Printer 10 Microban®	
size of imprint	10 x 27 mm
colours	
recommended number of lines	3
packaging	
spare pad	E/10



**MARY COOPER**  
28 Hucclecote Road • Gloucester GL5 9TH  
Tel: 1452 54 33 21  
e-mail: mary@cooper.co.uk

14 x 38 mm

Printer 20 Microban®	
size of imprint	14 x 38 mm
colours	
recommended number of lines	4
packaging	
spare pad	E/20



**GORDON WALKER**  
5 Moore Road, Aberdeen AB13 6BE  
Tel: 1234 80 63 62  
mobile: 0555 456 890  
e-mail: gordon@walker.co.uk

18 x 47 mm

Printer 30 Microban®	
size of imprint	18 x 47 mm
colours	
recommended number of lines	5
packaging	
spare pad	E/30



**RED SKIES LTD**  
Advertising Agency  
Parker Tower 43  
49 Parker St WC2B 5PS London  
Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19  
e-mail: red@skies\_ltd.co.uk

23 x 59 mm

Printer 40 Microban®	
size of imprint	23 x 59 mm
colours	
recommended number of lines	6
packaging	
spare pad	E/40



**LANCASTER GARDEN PRODUCTS**  
Gardening - Equipment and Supplies  
Stockton Lane • York YO65 5UE  
Tel: 1555 40 01 41  
Fax: 1555 40 01 85  
e-mail: lancaster@garden.co.uk  
e-mail: garden@equip\_supplies.co.uk

30 x 69 mm

Printer 50 Microban®	
size of imprint	30 x 69 mm
colours	
recommended number of lines	7
packaging	
spare pad	E/50



**BRITISH CARGO OVERSEAS  
INTERNATIONAL TRANSPORT LTD**  
North London Freight Centre  
York Way, Kings Cross, London N3 8BB  
Tel: 0123 456 7890  
Fax: 0123 456 7891  
sales@britishcargooverseas.co.uk  
www.britishcargooverseas.com


37 x 76 mm

Printer 60 Microban®	
size of imprint	37 x 76 mm
colours	
recommended number of lines	8
packaging	
spare pad	E/60



30 x 45 mm

2300 Microban®	
size of imprint	30 x 45 mm
recommended number of lines	7
packaging	4
spare pad	E/2300



30 x 45 mm

2360 Microban®	
size of imprint	30 x 45 mm
height of date	4 mm
recommended number of lines	5 *
packaging	4
spare pad	E/2300
optional: spare pad (2-colour)	E/2300/2



37 x 58 mm

2600 Microban®	
size of imprint	37 x 58 mm
recommended number of lines	8
packaging	4
spare pad	E/2600



37 x 58 mm

2660 Microban®	
size of imprint	37 x 58 mm
height of date	4 mm
recommended number of lines	7 *
packaging	4
spare pad	E/2600
optional: spare pad (2-colour)	E/2600/2



14 x 38 mm

23 x 59 mm

18 x 47 mm

Pocket Stamp Plus 20 Microban®	
Pocket Stamp Plus 30 Microban®	
Pocket Stamp Plus 40 Microban®	
size of imprint PSP 20	14 x 38 mm
size of imprint PSP 30	18 x 47 mm
size of imprint PSP 40	23 x 59 mm
colours	3
recommended number of lines	PSP 20: 4 - PSP 30: 5 PSP 40: 6
packaging	25
spare pad PSP 20	E/PSP 20
spare pad PSP 30	E/PSP 30
spare pad PSP 40	E/PSP 40

\* includes one line for the date





# Spare Pads

Quality parts that make the difference



COLOP spare pads are developed and produced to fit exactly for COLOP self-inking stamps - a perfect combination for perfect imprints.



Clean and simple exchange of spare pad



High quality ink used:


- Document proof
- Non toxic
- Anti dry out formula




Sharp and clean imprints only with the original COLOP spare pads



Also available: 2-coloured imprints in red and blue



Available in 5 standard colours



**COLOP Spare Pads**

The inks used in COLOP® pads for self-inking stamps are tested and certified as permanent, document-proof ink according to DIN (Deutsche Industrie Norm) ISO 14145-2.



Do not reink



packaging



**Spare Pads**



Printer 05	<b>E/05</b>
Printer 10 Printer C 10 Mini-Dater S 120 Mini-Folio S 126 Mini-Info S 120/W Mini-Dater S 160	<b>E/10</b>
Mini-Print S 110 Mini-Folio S 120/13 Mini Info-Dater S 120/WD Mini-Dater S 120/DD Mini-Dater S 120/P Mini-Dater S 160/DD	<b>E/12</b>
Printer 15	<b>E/15</b>
Printer 20 Printer C 20	<b>E/20</b>
Printer 25	<b>E/25</b>
Printer 30 Printer C 30	<b>E/30</b>
Printer 35 Printer 35-Dater	<b>E/35</b>
Printer 38 Printer 38-Dater	<b>E/38</b>
Printer 40 Printer C 40	<b>E/40</b>

Printer 45	<b>E/45</b>
Printer 50 Printer C 50	<b>E/50</b>
Printer 52 Printer 52-Dater	<b>E/52</b>
Printer 53 Printer 53-Dater	<b>E/53</b>
Printer 54 Printer 54-Dater	<b>E/54</b>
Printer 55 Printer 55-Dater	<b>E/55</b>
Printer 60 Printer C 60 Printer 60-Dater	<b>E/60</b>
Printer R 12	<b>E/R 12</b>
Printer R 17	<b>E/R 17</b>
Printer R 24 Printer R 24-Dater	<b>E/R 24</b>
Printer R 30 Printer R 30-Dater	<b>E/R 30</b>
Printer R 40 Printer R 40-Dater Printer R 40-Dater - "12/24-Hours"	<b>E/R 40</b>
Printer R 45 Printer R 45-Dater Classic R 2045	<b>E/R 45</b>

Classic R 2045 6 Classic R 2045 UZ - "12/24-Hours"	<b>E/R 45</b>
Printer R 50 Printer R 50-Dater	<b>E/R 50</b>
Printer Oval 44	<b>E/Oval 44</b>
Printer Oval 55 Printer Oval 55-Dater	<b>E/Oval 55</b>
Printer T 45 Printer T 45-Dater	<b>E/T 45</b>
Printer Q 12	<b>E/Q 12</b>
Printer Q 17	<b>E/Q 17</b>
Printer Q 20	<b>E/Q 20</b>
Printer Q 24 Printer Q 24-Dater	<b>E/Q 24</b>
Printer Q 30 Printer Q 30-Dater	<b>E/Q 30</b>
Printer Q 43 Printer Q 43-Dater	<b>E/Q 43</b>
Printer S 200 Printer S 260 Printer S 220 Printer S 220/W Printer S 226 Printer S 226/P	<b>E/200</b>

Spare Pads



Expert R 3040 Expert R 3040-Dater	<b>E/R 2040</b>
Classic 2100 Classic 2100/3 Classic 2100/4 Classic 2100/W Classic 2106 Classic 2106/P Classic 2160 Expert 3100 Expert 3160	<b>E/2100</b>
Classic 2300 Classic 2360 Classic 2000/5 Classic 2006 Expert 3300 Expert 3360 Office S 300 Office S 360	<b>E/2300</b>
Expert 3400	<b>E/3400</b>
Classic 2400 Classic 2460 Classic 2008 Classic 2010 Classic 2000/P Classic 2000/WD Classic 2600 Classic 2660 Classic 2008/P Classic 2010/P Expert 3600 Expert 3660 Office S 400 Office S 600 Office S 608 Office S 608/P Office S 610 Office S 610/P Office S 660	<b>E/2600</b>
Expert 3700	<b>E/3700</b>
Classic 2800 Classic 2860 Expert 3800 Expert 3860	<b>E/2800</b>

Expert 3900 Expert 3960 Expert 3960 S3 / S4 Expert 3960 Double Date	<b>E/3900</b>
Pocket Stamp 20	<b>E/Pocketstamp 20 *</b>
Pocket Stamp 30 Pocket Stamp Oval 30	<b>E/Pocketstamp 30 *</b>
Pocket Stamp Q 25 Pocket Stamp R 25	<b>E/Pocketstamp 25 *</b>
Pocket Stamp R 30	<b>E/Pocketstamp R30 *</b>
Pocket Stamp R 40	<b>E/Pocketstamp R40 *</b>
Mini Pocket Stamp	<b>E/Minipocket *</b>
Pocket Stamp Plus 20	<b>E/PSP 20 *</b>
Pocket Stamp Plus 30	<b>E/PSP 30 *</b>
Pocket Stamp Plus 40	<b>E/PSP 40 *</b>

2-Colour Ink Pads



Printer S 260 Printer S 260/L Printer S 260/RL Printer S 226/P	<b>E/200/2</b>
Printer R 30	<b>E/R 30/2</b>
Printer R 30-Dater	<b>E/R 30 Dater/2</b>
Printer R 40	<b>E/R 40/2</b>
Printer R 40-Dater	<b>E/R 40/1 Dater/2</b>
Printer R 45-Dater Classic R 2045 6 Classic R 2045 UZ - "12/24-Hours"	<b>E/R 45 Dater/2</b>
Printer Q 43-Dater	<b>E/Q 43/2</b>
Printer R 50	<b>E/R 50/2</b>
Printer R 50-Dater	<b>E/R 50 Dater/2</b>
Printer 53-Dater	<b>E/53/2</b>
Printer 54-Dater	<b>E/54/2</b>
Printer 55-Dater	<b>E/55/2</b>
Printer 35-Dater	<b>E/35/2</b>
Printer Q 30-Dater	<b>E/Q 30 Dater/2</b>

2-Colour Ink Pads



Printer 38-Dater	<b>E/38/2</b>
Expert R 3040-Dater	<b>E/R 2040/2</b>
Classic 2160 Classic 2160/RL Classic 2106/P Expert 3160	<b>E/2100/2</b>
Classic 2360 Classic 2006/P Expert 3360 Office S 360 Office S 360/RL	<b>E/2300/2</b>
Classic 2460 Classic 2660 Expert 3660 Office S 660	<b>E/2600/2</b>
Classic 2860 Expert 3860	<b>E/2800/2</b>
Expert 3960	<b>E/3900/2</b>

2-Colour Ink Pads



Mini-Dater S 160 Mini-Dater S 160/L	<b>E/10/2</b>
--	---------------

2-Colour Ink Pads



Mini-Dater S 120/WD S120/P	<b>E/12/2</b>
-------------------------------	---------------

2-Colour Ink Pads



Printer 20	<b>E/20/S6</b>
Printer 30	<b>E/30/S6</b>
Printer 40	<b>E/40/S6</b>
Printer 50	<b>E/50/S6</b>

Refill Ballpoint pen



StampWriter Pen Stamp Alu Magnet Touch	<b>D1</b>
---	-----------

Felt Pads

Spare pads are also available as felt pads, with the exception of those marked with \*. Felt pads are used for special inks like oil or solvent based inks, i.e. COLOP Quick Drying Ink 802.

Ink Pads for Other Models

COLOP offers a wide range of ink pads for stamp devices from other manufacturers. Further details are available upon request.





# Band Stamps

Tradition in reliable quality




**Traditional rubber stamps with deep moulded bands for use with a separate stamp pad.  
Available as date stamps or numbering stamps.**



Economical and functional  
- available in many  
different sizes and  
character measures



A sturdy metal  
frame makes this band  
stamp a long-lasting  
marking device



Special character  
bands are available for  
the majority of the  
models



Ergonomically  
designed handles for  
comfortable use



FAXED 12 NOV 2025

ANSWERED DELIVERED  
 BACK ORDERED ENTERED  
 BILLED FAXED  
 CANCELLED PAID  
 CHARGED RECEIVED  
 CHECKED SHIPPED

04000/WD	
height of date / phrase band	4 mm
packaging	



04000

12 NOV 2025 12. 11. 25

03000 / 03000 SD	
height of date	3 mm
packaging	

12 NOV 2025 12. 11. 25

04000 / 04000 SD	
height of date	4 mm
packaging	



07000

12 NOV 2025

05000	
height of date	5 mm
packaging	

1 2 NOV 2025

07000	
height of date	7 mm
packaging	

1 2 NOV 2025

09000	
height of date	9 mm
packaging	

1 2. 11. 2025

12000	
height of date	12 mm
packaging	

1 2. 11. 2025

15000	
height of date	15 mm
packaging	


1 2. 11. 2025

18000	
height of date	18 mm
packaging	





04060/L	
size of imprint	30 x 45 mm
height of date	4 mm
packaging	



Numbering Stamps	
Numbering stamps with 4, 6, 8, 10, and 12 bands in 3, 4, 5, 7, 9, 12, 15, 18 mm.	
Combinations with letter bands A-M and N-Z or other figures, letters, signs or phrases made to order upon request.	
Bands 3 - 15 mm = 0 to 9 / - .	
18 mm = 0 to 9 / -	
optional: special characters	

03004	1 2 3 4
03006	1 2 3 4 5 6
03008	1 2 3 4 5 6 7 8
03010	1 2 3 4 5 6 7 8 9 0
03012	1 2 3 4 5 6 7 8 9 0 1 2

3 mm

1 2 3 4 5 6 7 8 9 0 1 2

4 mm

04004 | 04006 | 04008 | 04010 | 04012

1 2 3 4 5 6 7 8 9 0 1 2

5 mm

05004 | 05006 | 05008 | 05010 | 05012

1 2 3 4 5 6 7 8 9 0 1 2

7 mm

07004 | 07006 | 07008 | 07010 | 07012

1 2 3 4 5 6 7 8 9 0 1 2

9 mm

09004 | 09006 | 09008 | 09010 | 09012

1 2 3 4 5 6 7 8 9 0 1 2

12 mm

12004 | 12006 | 12008 | 12010 | 12012

1 2 3 4 5 6 7 8 9 0 1 2

15 mm

15004 | 15006 | 15008 | 15010 | 15012

1 2 3 4 5 6 7 8 9 0 1 2

18 mm




18004 | 18006 | 18008 | 18010 | 18012

# 54 | BAND STAMPS Special Character Bands

Band	Band "Standard"	Band "Euro"	Band "kg"	Band "c"	Band "x"	Band "¼"	Band "A-M"	Band "N-Z"
Band consists of numbers 0-9 as well as the special characters. A blank is included with every band except "Euro".	0-9	0-9	0-9	0-9	0-9	0-9	Band consists of letters A - M	Band consists of letters N - Z
	/	№	kg	,	/	¼		
	-	€	%	F	-	½	Without special characters and numbers	
	.	#	/	¢	x	¾		
		\$						


Following items are available with the bands mentioned above in any order:


Item	Height of characters	Number of bands	Sample imprint	
S 200	S 226 SZ	4 mm	6	2 4 , 5 0 %
	S 226/P SZ	4 mm	6	€ 9 0 , 2 0
CLASSIC LINE	2106 SZ	4 mm	6	# 5 8 9 4 2
	2106/P SZ	4 mm	6	4 5 4 , 5 kg
	2008 SZ	5 mm	8	№ 8 0 7 / 1 2 4
	2008/P SZ	5 mm	8	A B - 5 9 0 1 3
	2010 SZ	5 mm	10	S A 1 0 0 1 0 0 4 5
	2010/P SZ	5 mm	10	\$ 2 8 , 6 5 3 , 4 6
BAND STAMPS	03000 SZ	3 mm		# 2 6 7 9 / 4 6 - 4 6 7 <small>03004   03006   03008   03010   03012</small>
	04000 SZ	4 mm		7 6 9 4 8 2 4 6 5 1 M N <small>04004   04006   04008   04010   04012</small>
	05000 SZ	5 mm		A 6 4 6 - 6 7 6 / 4 4 2 <small>05004   05006   05008   05010   05012</small>
	07000 SZ	7 mm		0 0 0 0 4 6 6 7 , 8 8 kg <small>07004   07006   07008   07010   07012</small>
	09000 SZ	9 mm	4, 6, 8, 10, 12	0 C 0 0 0 0 8 9 0 / 0 9 <small>09004   09006   09008   09010   09012</small>
	12000 SZ	12 mm		1 , 2 x 0 , 8 x 1 , 5 M <small>12004   12006   12008   12010   12012</small>
	15000 SZ	15 mm		№ 4 7 9 0 / 0 8 8 - 6 3 <small>15004   15006   15008   15010   15012</small>



P 700	
height of date	4 mm
packaging	

Plate sizes	
P 700/10	25 x 55 mm
P 700/33	35 x 45 mm
P 700/11	35 x 50 mm
P 700/12	35 x 55 mm
P 700/13	35 x 60 mm
P 700/14	35 x 70 mm
P 700/32	51 x 51 mm
P 700/15	40 x 54 mm
P 700/16	40 x 60 mm
P 700/24	45 x 65 mm
P 700/17	40 x 70 mm
P 700/18	50 x 70 mm
P 700/34	Ø 44 mm
P 700/19	Ø 51 mm
P 700/22/oval	44 x 67 mm





P 700/S5  
35 x 54 mm

12 NOV 2025

12 NOV 2025

P 700/S6  
35 x 54 mm

P 700/S3  
35 x 75 mm

12 NOV 12 NOV 2025

P 700/S4  
35 x 75 mm

P 700/S2  
90 x 55 mm

12 NOV 2025

12 NOV 2025

P 700/S8  
90 x 55 mm

12 NOV 2025

P 700/S7  
55 x 65 mm

12 NOV 2025

P 700/S9  
120 x 120 mm

P 700/S1  
100 x 100 mm

12 NOV 2025

**P 700 with time plate**

P 700/UZ/12H	Ø 50 mm
P 700/UZ/24H	Ø 50 mm
height of date	4 mm
packaging	

**P 700 Special Plates**

height of date	4 mm
packaging	

**Special Plate sizes**

P 700/S1	100 x 100 mm
P 700/S2	90 x 55 mm
P 700/S3	35 x 75 mm
P 700/S4	35 x 75 mm
P 700/S5	35 x 54 mm
P 700/S6	35 x 54 mm
P 700/S7	55 x 65 mm
P 700/S8	90 x 55 mm
P 700/S9	120 x 120 mm

Other special plate sizes and date positions upon request



**Numrex 4**

height of numbers	25 mm
packaging	

**Numrex 5**

height of numbers	25 mm
packaging	

**Numrex 6**

height of numbers	25 mm
packaging	

Other special sizes and models upon request

Numrex 4



Numrex 5



Numrex 6



**Swing Stamp**

Swing Stamp 140/200	140 x 200 mm
Swing Stamp 200/260	200 x 260 mm
packaging	





# Inks and Stamp Pads

Only the original guarantees the best quality



Ideal for hand stamps and band stamps - COLOP inks for different materials and the suitable ink pads in numerous variations and sizes.



COLOP's standard inks are document proof. The range also includes UV inks, archival and quick drying inks



COLOP's stamp pads are sturdy, whether made of plastic or metal



Extra-large formats for all kind of stamp inks available. Especially suitable for quick drying inks



Numerous stamp inks for various materials



\* only black ink

**Stamp Pad Ink Premium 801**

colours	
content	25 ml    250 ml
packaging	
water-based ink for foam and felt pads	
for use with rubber text plates and polymer text plates	
application: for all absorbent materials	



**Stamp Pad Ink 810**

colours	
content	250 ml
packaging	
water-based	
for use with rubber text plates and polymer text plates	
application: for all absorbent materials	



**Quick Drying Ink 802**

colours	
content	25 ml    250 ml
packaging	
solvent based ink for felt pads	
for use with rubber text plates	
application: for all absorbent and non absorbent materials except PE/PP	



**Ultraviolet Ink 804**

colours	
content	25 ml    250 ml
packaging	
ink for standard pads and felt pads, visible under ultraviolet light	
for use with rubber text plates and polymer text plates	
application: for all absorbent materials	



**Archival Permanent Ink 805**

colours	
content	25 ml    250 ml
packaging	
oil based ink for foam and felt pads	
for use with rubber text plates	
application: for all absorbent materials	



**Quick Drying Ink Premium 809**

colours	
content	25 ml    250 ml
packaging	
solvent based ink for standard pads and felt pads	
for use with rubber text plates	
application: for all absorbent and non absorbent materials. Non hazardous cargo.	

Other special inks upon request.



### Stamp Pads Micro

size of Micro pad 1*	50 x 90 mm
size of Micro pad 2*	70 x 110 mm
size of Micro pad 3	90 x 160 mm
colours	
packaging	



### Stamp Pads Micro M

size of Micro pad M1	50 x 90 mm
size of Micro pad M2	70 x 110 mm
colours	
packaging	



### Top Pad

size of Top Pad 160/220	160 x 220 mm
size of Top Pad 240/310	240 x 310 mm
colours	
packaging	





# Embossing press

Modern and practical design

**COLOP embossing presses leave an impressive imprint - a combination between balanced design and optimised functionality.**



Intuitive usability for effortless embossing of paper - also for small hands



The locking mechanism provides absolute reliability as well as easy operation



The handle and base are equipped with soft rubber. This enables comfortable embossing and guarantees stability



COLOP embossing presses can be equipped either with plastic or metal die plates



The construction and the special shape of the chrome plated parts deliver high quality and sturdiness



An attractive and compact hard protecting case is included for protection when being transported



Ø 41 mm

**Embossing Press**

size of imprint	Ø 41 mm
packaging	
* inclusive case 49 x 136 x 90 mm	



Ø 51 mm

**Embossing Press**

size of imprint	Ø 51 mm
packaging	
* inclusive case 49 x 136 x 90 mm	



25 x 50 mm

**Embossing Press**

size of imprint	25 x 50 mm
packaging	
* inclusive case 49 x 136 x 90 mm	



**Laser Engravable Die Material for Embossing Presses**

size	A5
thickness	1,5 mm

**Embossing Press Labels**

size	Ø 55 mm
pcs.	250 pcs. / roll
colours	







Laser Rubber



**Odourless Laser Rubber**

**Odourless Economy Laser Rubber**

size	A4
hardness	60 Shore A
hardness (Odourless Economy LR)	55 Shore A
thickness	2,3 mm
packaging	   

Photopolymer



**Photopolymer VX55**

content	1 kg / 18 kg
---------	--------------

**Washout Agent**

content	5 liter
---------	---------

**Antifoam**

content	1 liter
---------	---------

**IMAGEPAC Detac Salt (post exposure salt)**

content	350 g
---------	-------



**Cover Film**

size	A3, A4, A5
content A3	500 mm x 180 m/roll
content A4	315 mm x 180 m/roll
content A5	200 mm x 50 m/roll

**Backing Sheet**

size	A3, A4, A5
content	100 sheets


**Foam Border Tape**

size	2,5mm x 8mm x 30m
------	-------------------

**Imageblack Film**

size	A4
content	50 sheets

Imagepac



Imagepac	Thickness	Packaging
Imagepac A5	2,3 mm	10 pcs.
Imagepac A6	2,3 mm	5 pcs.
Imagepac A7	2,3 mm	10 pcs.
Imagepac A8	2,3 mm	20 pcs.

Imagepac XTRA A4	2,3 mm	5 pcs.
Imagepac XTRA A5	2,3 mm	10 pcs.
Imagepac XTRA A6	2,3 mm	5 pcs.
Imagepac XTRA A7	2,3 mm	10 pcs.
Imagepac XTRA A8	2,3 mm	20 pcs.



# EOS Line

Complete range of Flash Stamps

The EOS Line is a modern and ergonomically designed flash stamp. This technology allows an optimised handle size also for large text plate sizes. Black EOS Standard and XL stamps are made of minimum 80% recycled plastics.



X-Large image window for full size imprint and personalisation



Dust cover for protection and transportation



Motivational Stamps - perfect for teachers to motivate their pupils



Easy and clean re-inking



Also very large imprint sizes are possible

For more information about COLOP EOS Line please visit [www.colop.com](http://www.colop.com) or apply to your COLOP contact.

## Legend

Plastic bag



Individual blister packaging



Packaging in individual box



Masterbox



Individual box with flap



20 / 01 / 152000 / English





